CHAPTER 17

Advanced Terminological Approaches in Nursing

Nicholas R. Hardiker

Suzanne Bakken

Tae Youn Kim

OBJECTIVES

1. Describe the need for advanced terminology systems.

2. Identify the components of advanced terminology systems.

3. Compare and contrast two approaches for representing nursing concepts within an advanced terminology system.

KEY WORDS

concept representation

terminology

vocabulary

standardized nursing language

The failure to achieve a single, integrated terminology with broad coverage of the healthcare domain has been characterized as the "vocabulary problem." Evolving criteria for healthcare terminologies for implementation in computer-based systems suggest that concept-oriented approaches are needed to support the data needs of today's complex, knowledge-driven healthcare and health management environment. This chapter focuses on providing the background necessary to understand recent approaches to solving the vocabulary problem. It also includes several illustrative examples of these approaches from the nursing domain.

Background and Definitions

The primary motivation for standardized terms in nursing is the need for valid, comparable data that can be used across information system applications to support clinical decision-making and the evaluation of processes and outcomes of care. Secondary uses of the data for purposes such as clinical, translational, and comparative effectiveness research, development of practice-based nursing knowledge, and generation of healthcare policy are dependent on the initial collection and representation of the data. Given the importance of standardized terminology, one might ask, "Why, despite the extensive work to date, is the vocabulary problem not yet solved?"

The Vocabulary Problem

Several reasons for the vocabulary problem have been posited in health and nursing informatics literature. First, the development of multiple specialized terminologies has

resulted in areas of overlapping content, areas for which no content exists, and large numbers of codes and terms (Chute, Cohn & Campbell, 1998; Cimino, 1998a). Second, existing terminologies are most often developed to provide sets of terms and definitions of concepts for human interpretation, with computer interpretation as only a secondary goal (Rossi Mori, Consorti & Galeazzi, 1998). The latter is particularly true for nursing terminologies that have been designed for direct use by nurses in the course of clinical care (Association of Operating Room Nurses, 2007; Johnson, Bulechek, Butcher, Dochterman, Moorhead & Swanson, 2006; Martin, 2005; Saba, 2006). Unfortunately, knowledge that is eminently understandable to humans is often confusing, ambiguous, or opaque to computers, and, consequently, current efforts have often resulted in terminologies that are inadequate in meeting the data needs of today's healthcare systems. This chapter focuses on providing the background necessary to understand recent concept-oriented approaches to solving the vocabulary problem. It also includes illustrative examples of these approaches from the nursing domain. Note that the word "terminology" is used throughout this chapter to refer to the set of terms representing a system of concepts.

Concept Orientation

An appreciation for the approaches discussed in this chapter has as a prerequisite an understanding of what it means for a terminology to be concept-oriented. Previous published reports provide an evolving framework that enumerates the criteria (Table 17.1) that render healthcare terminologies suitable for implementation in computer-based systems. In particular, it is clear that such terminologies must be concept-oriented (with

explicit semantics), rather than based on surface linguistics (Chute, et al., 1998; Cimino, 1998b; Cimino, Hripcsak, Johnson & Clayton, 1989). Several previous studies have reported that many existing nursing terminologies do not meet the criteria related to concept orientation (Henry & Mead, 1997; Henry, Warren, Lange & Button, 1998).

 Table 17.1 Evaluation Criteria Related to Concept-Oriented Approaches

Atomic-based—concepts must be separable into constituent components (Chute, et al., 1998)

Compositionality—ability to combine simple concepts into composed concepts, e.g., "pain" and "acute" = "acute pain" (Chute, et al., 1998)

Concept permanence—once a concept is defined it should not be deleted from a terminology (Cimino, 1998b)

Language independence—support for multiple linguistic expressions (Chute, et al., 1998)

Multiple hierarchy—accessibility of concepts through all reasonable hierarchical paths with consistency of views (Chute, et al., 1998; Cimino, 1998b; Cimino, et al., 1989)

Nonambiguity-explicit definition for each term, e.g., "patient teaching related to medication

adherence" defined as an action of "teaching", recipient of "patient", and target of

"medication adherence" (Chute, et al., 1998; Cimino, 1998b; Cimino, et al., 1989)

Nonredundancy—one preferred way of representing a concept or idea (Chute, et al., 1998; Cimino, 1998b; Cimino, et al., 1989)

Synonymy—support for synonyms and consistent mapping of synonyms within and among terminologies (Chute, et al., 1998; Cimino, 1998b; Cimino, et al., 1989)

In order to appreciate the significance of concept-oriented approaches, it is important to first understand the definitions of and relationships among things in the world (objects), our thoughts about things in the world (concepts), and the labels we use to represent and communicate our thoughts about things in the world (terms). These relationships are depicted by a model commonly called the semiotic triangle (Fig. 17.1) (Ogden & Richards, 1923). The International Organization for Standardization (ISO) international standard ISO 1087-1:2000 provides definitions for elements that correspond to each vertex of the triangle:

Concept (i.e., thought or reference): Unit of knowledge created by a unique combination of characteristics—a characteristic is an abstraction of a property of an object or of a set of objects.

Object (i.e., referent): Anything perceivable or conceivable.

Term (i.e., symbol): Verbal designation of a general concept in a specific subject field a general concept corresponds to two or more objects which form a group by reason of common properties (International Organization for Standardization, 1990).

As specified by the criteria in Table 17.1 and illustrated in Fig. 17.1, a single concept may be associated with multiple terms (synonymy); however, a term should represent only one concept.

Components of Advanced Terminology Systems

Within the context of the high-level information model provided by the Nursing Minimum Data Set (NMDS) (Werley & Lang, 1988), there has been extensive development and refinement of terminologies for describing patient problems, nursing interventions, and nursing-sensitive patient outcomes (AORN, 2007; Moorhead, Johnson & Maas, 2004; Martin,2005; Dochterman & Bulechek, 2004; North American Nursing Diagnosis Association, 2008; Ozbolt, 1998; Saba, 2006) including the development of the International Classification for Nursing Practice (ICNP) (Coenen, 2003; International Council of Nurses, 2009). These terminologies are described elsewhere in this text. The main component of more advanced terminology systems, however, is a concept-oriented terminology model or ontology representing a set of concepts and their interrelationships. The model is constructed using an ontology language that may be implemented using description logic within a software system or by a suite of software tools.

Terminology Model

A terminology model is a concept-based representation of a collection of domain-specific terms that is optimized for the management of terminological definitions. It encompasses both schemata and type definitions (Campbell, Cohn, Chute, Shortliffe & Rennels, 1998; Sowa, 1984).

Schemata incorporate domain-specific knowledge about the typical constellations of entities, attributes, and events in the real world and, as such, reflect plausible combinations of concepts, e.g., "dyspnea" may be combined with "severe" to make

"severe dyspnea". Schemata may be supported by either formal or informal composition rules (i.e., grammars).

Type definitions are obligatory conditions that state only the essential properties of a concept (Sowa, 1984), e.g., a nursing activity must have a *recipient*, an *action*, and a *target*.

There have been several published reports related to terminology models for nursing (Bakken, Cashen & O'Brien, 1999; Hardiker & Rector, 1998; ICN, 2001), which contributed to the development of an international standard for a reference terminology model for nursing (ISO, 2003).

Representation Language

Terminology models may be formulated and elucidated in an ontology language such as Knowledge Representation Specification Syntax (KRSS) (Campbell, et al., 1998) or Web Ontology Language (OWL) (Rector, 2004). Ontology languages represent classes (also referred to as concepts, categories, or types) and their properties (also referred to as relations, slots, roles, or attributes). In this way, ontology languages are able to support, through explicit semantics, the formal definition of concepts in terms of their relationships with other concepts (Fig. 17.2); they also facilitate reasoning about those concepts, e.g., whether two concepts are equivalent or whether one concept, such as "pain", subsumes (is a generalization of) another, such as "acute pain".

Computer-Based Tools

A representation language may be implemented using description logic within a software system or by a suite of software tools. The functionality of these tools varies but may include among other things management and internal organization of the model, and reasoning on the model, such as automatic classification of composed concepts based on their formal definition, e.g., "teaching medication regime" is a kind of "teaching".

In addition, the software may facilitate transformation of concept representations into canonical form (e.g., "cardiomegaly of the heart" is transformed to "cardiomegaly" since the location of the pathology is inherent in the concept itself), or support a set of sanctions (i.e., constraints) that test whether a proposed composed concept is sensible (e.g., "decubitus ulcer of the heart" and "impaired normal cognition" are not coherent terms). Other software support may be provided for knowledge engineering, operations management, and conflict detection and resolution.

The extent to which a terminology may be suitable for computer processing has previously been characterized in terms of "generations" (Rossi Mori, et al., 1998). *Firstgeneration terminology systems* consist of a list of enumerated terms, possibly arranged as a single hierarchy. They serve a single purpose or a group of closely related purposes and allow minimal computer processing. *Second-generation systems* include an abstract terminology model or terminology model schema that describes the organization of the main categories used in a particular terminology or set of terminologies. The abstract terminology model is complemented by a thesaurus of elementary descriptors (i.e., terms) and templates or rules (i.e., grammar) for defining how categories may be combined. For example, "pain" and "severe" may be combined into "severe pain". Second-generation

systems can be used for a range of purposes, but they allow only limited computer processing, e.g., automatic classification of composed concepts is not possible. *Third-generation systems* support sufficient formalisms to enable computer-based processing, i.e., they include a grammar that defines the rules for automated generation and classification of new concepts. Third-generation language systems have also been referred to as formal concept representation systems (Ingenerf, 1995) or reference terminologies (Spackman, Campbell & Cote, 1997).

Because they were designed primarily for direct manual use by nurses in the process of care or for classification purposes, the majority of existing nursing terminologies (e.g., NANDA, Nursing Interventions Classification [NIC]) can be characterized as first-generation systems. The *beta* 2 version of the ICNP provided an example of a second-generation system (ICN, 2001) – this has subsequently been superseded. Advanced terminology systems, i.e., third-generation terminology systems are the focus of the remainder of this chapter.

Advantages of Advanced Terminology Systems

Computer-based systems that support clinical applications such as electronic health records and decision support require more granular (i.e., less abstract) data than that typically contained in terminologies designed primarily for manual use or for the purpose of classification (Campbell, Carpenter, Sneiderman, Cohn, Chute & Warren, 1997; Chute, Cohn, Campbell, Oliver & Campbell, 1996; Cimino, 1998b; Cimino et al., 1989). Advanced concept-oriented terminology systems allow much greater granularity through

controlled composition while avoiding a combinatorial explosion of pre-coordinated terms, thus, enhancing the ability of computer-based systems to process clinical data for meaningful use.

In addition, as described previously in this chapter, advanced terminology systems facilitate two important facets of knowledge representation for computer-based systems that support clinical care: (a) describing concepts and (b) manipulating and reasoning about those concepts using computer-based tools. Advantages resulting from the first facet include (1) nonambiguous representation of concepts, (2) facilitation of data abstraction or de-abstraction without loss of original data (i.e., "lossless" data transformation), (3) nonambiguous mapping among terminologies, (4) data reuse in different contexts, and (5) data exchange across settings. These advantages are particularly important for clinical uses of the terminology. Advantages gained from the second facet include auditing the terminology system, automated classification of new concepts, and an ability to support multiple inheritance of defining characteristics (e.g., "acute postoperative pain" is both a "pain" and a "postoperative symptom"). Both facets are vital to the maintenance of the terminology itself as well as to the ability to subsequently support the clinical utility of the terminology (Campbell et al., 1998; Rector, Bechhofer, Goble, Horrocks, Nowlan & Solomon., 1997).

Advanced Terminological Approaches in Nursing

Over recent years, there have been a number of initiatives that support the development of advanced concept-oriented terminology systems for the nursing domain. Following a

brief description of approaches underpinning three of these initiatives (terminology models within ISO 18104:2003, modified KRSS underpinning the original development of SNOMED (Systematized Nomenclature of Medicine) and the OWL representation of ICNP), a nursing term is represented under ICNP and SNOMED CT (SNOMED Clinical Terms) approaches in order to illustrate similarities and differences between representations. A further illustrative example demonstrates one of the potential functions of an advanced terminology system for nursing, i.e., cross-mapping between existing terminologies.

Terminology models - ISO 18104:2003

An international standard (ISO 18104:2003) covering reference terminology models for nursing diagnoses (Fig. 17.3) and nursing actions (Fig. 17.4) was approved in 2003 (ISO, 2003). The standard was developed by a group of experts within ISO Technical Committee 215 (Health Informatics) Working Group 3 (Semantic Content) under the collaborative leadership of the International Medical Informatics Association—Nursing Special Interest Group (IMIA-NI) and the International Council of Nurses (ICN). The model built on work originating within the European Committee for Standardization (European Committee for Standardization, 2000).

The development of ISO 18104:2003 was motivated in part by a desire to harmonize the plethora of nursing terminologies in use around the world (Hardiker, 2004). Another major incentive was to integrate with other evolving terminology and information model standards—the development of ISO 18104:2003 was intended to be "consistent with the

goals and objectives of other specific health terminology models in order to provide a more unified reference health model." (ISO, 2003, p. 1). Potential uses identified for the terminology models include to (1) facilitate the representation of nursing diagnosis and nursing action concepts and their relationships in a manner suitable for computer processing, (2) provide a framework for the generation of compositional expressions from atomic concepts within a reference terminology, (3) facilitate the mapping among nursing diagnosis and nursing action concepts from various terminologies, (4) enable the systematic evaluation of terminologies and associated terminology models for purposes of harmonization, and (5) provide a language to describe the structure of nursing diagnosis and nursing action concepts in order to enable appropriate integration with information models (ISO, 2003). The standard is not intended to be of direct benefit to practicing nurses. It is intended to be of use to those that develop coding systems, terminologies, terminology models for other domains, health information models, information systems, software for natural langue processing, and markup standards for representation of healthcare documents.

ISO 18104:2003 has undergone substantial bench testing, both during its development and through independent research (Hwang, Cimino & Bakken, 2003; Moss, Coenen & Mills, 2003). The standard was under review at the time of writing for consideration of revisions.

Modified KRSS - SNOMED RT/CT

A concept-oriented approach was developed, through collaboration between the College of American Pathologists and Kaiser Permanente, based on SNOMED International. SNOMED Reference Terminology (RT) was a reference terminology optimized for clinical data retrieval and analysis (Spackman, et al., 1997) that, along with U.K. Clinical Terms, SNOMED RT has been used as a foundation for a new terminology system, SNOMED Clinical Terms (CT). Concepts and relationships in SNOMED RT were represented using modified KRSS (Campbell, et al., 1998). Concept definition and manipulation were supported through a set of tools with functionality such as (1) acronym resolution, word completion, term completion, spelling correction, display of the authoritative form of the term entered by the user, and decomposition of unrecognized input (Metaphrase) (Tuttle, Keck, Cole, Erlbaum, Sherertz, Chute, Elkin, Atkin, Kahoi, Safran, Rind & Law, 1998), (2) automated classification (Ontylog), and (3) conflict management, detection, and resolution (Galapagos) (Campbell et al., 1998). Table 17.2 illustrates the representation, using generic description logic representation and modified KRSS, of a single nursing activity. SNOMED CT was developed collaboratively by the College of American Pathologists and the U.K. National Health Service (Wang, Sable & Spackman, 2002). SNOMED CT possesses both reference terminology properties and user interface terms. SNOMED CT is considered to be the most comprehensive, multilingual clinical healthcare terminology in the world and integrates, through external mappings, concepts from multiple nursing terminologies and classification systems including: Clinical Care Classification, International Classification for Nursing Practice, North American Nursing Diagnosis Association Taxonomy, Nursing Interventions Classification, Nursing Outcomes Classification, Omaha System, and Perioperative

Nursing Data Set . SNOMED CT is distributed through the International Health Terminology Standards Development Organisation (IHTSDO). IHTSDO is an international not-for-profit organization based in Denmark whose purpose is to develop, maintain, promote and enable adoption and correct use of its terminology products such as SNOMED CT.

Table 17.2 Possible Representations of the Nursing Activity Concept "Bladder"

Irrigation", Using Generic Description Logic Representation and Modified KRSS

Generic Description Logic Representation (with corresponding OWL constructors)	BladderIrrigation \equiv Irrigating $\Pi \exists$
	actsOn.Bladder
	Key
	≡ equivalentClass
	□ intersectionOf
	∃ someValuesFrom
Modified KRSS Representation	(Define-concept BladderIrrigation (and
	Irrigating) (actsOn Bladder))

OWL - ICNP

Outside the health domain, work in relation to the Semantic Web has resulted in an emerging "standard" (i.e., a W3C recommendation) ontology language, OWL (McGuiness & van Harmelen, 2004). OWL is intended for use where applications, rather than humans, are to process information. As such, it should be able to meet the requirements of advanced terminology systems that support contemporary healthcare. OWL builds on existing recommendations such as eXtensible Markup Language (XML) (surface syntax for structured documents), Resource Description Framework (RDF) (a data model for resources), and RDF Schema (a vocabulary for describing the properties and classes of resources) by providing additional vocabulary and a formal semantics. Software, both proprietary and open source, is available for (a) managing terminology models or ontologies developed in OWL (e.g., Protégé (Protégé, 2010)) and (b) reasoning on the model (e.g., FaCT++ (Tsarkov, 2009)). Work within nursing is maturing. For example, ICNP is maintained in OWL - it is a compositional standards-based terminology (Hardiker & Coenen, 2009) for nursing practice that The compositionality of ICNP further facilitates the development of and the cross-mapping among local terminologies and existing classification systems (ICN, 2009).

An OWL representation (in XML) of the nursing activity concept "Bladder Irrigation" is provided in Table 17.3 for comparison with the KRSS representations in Table 17.2.

Table 17.3 Possible OWL Representation (in XML) of the Nursing Activity Concept

 "Bladder Irrigation"

<owl:Class rdf:ID="BladderIrrigation">

```
<owl:equivalentClass>
  <owl:Class>
     <owl:intersectionOf rdf:parseType="Collection">
       <owl:Class rdf:about="#Irrigating"/>
       <owl:Restriction>
         <owl:onProperty>
           <owl:FunctionalProperty rdf:about="#actsOn"/>
         </owl:onProperty>
         <owl:someValuesFrom>
           <owl:Class rdf:about="#Bladder"/>
         </owl:someValuesFrom>
        </owl:Restriction>
      </owl:intersectionOf>
    </owl:Class>
  </owl:equivalentClass>
</owl:Class>
```

Advanced Terminology Systems in Practice

Figure 17.5 displays a potential mapping (to the right of the figure) between the NIC concept "Bladder Irrigation" (McCloskey & Bulechek, 2004) and the precoordinated Omaha System concept "Treatments and Procedures: Bladder Care" (Martin & Scheet, 1992). A computer-based reasoner can use the formal definitions of the corresponding composed concepts to infer a hierarchical relationship. The asserted properties for both

concepts (in the center of the figure) are identical. The existing hierarchy (to the left of the figure) asserts that "Performing" subsumes "Irrigating". Thus, "BladderCare", which maps to the Omaha System concept "Treatments and Procedures: Bladder Care", is a generalization of "BladderIrrigation", which maps to the NIC concept "Bladder Irrigation." Hence, the NIC concept "Bladder Irrigation" potentially maps onto the Omaha System concept "Treatments and Procedures: Bladder Care" (but *not* vice versa).

Summary and Implications for Nursing

Previous studies have supported the need for advanced concept-oriented terminology systems that (a) provide for nonambiguous concept definitions, (b) facilitate composition of complex concepts from more primitive concepts, and (c) support mapping among terminologies (Campbell et al., 1997; Cimino, Clayton, Hripcsak, and Johnson, 1994; Chute et al., 1996; Henry, Holzemer, Reilly & Campbell, 1994). Because of the magnitude of resources and collaboration required, the development of advanced concept-oriented terminology systems is a fairly recent phenomenon. However, a number of benefits have been proposed: (1) facilitation of evidence-based practice (e.g., linking of clinical practice guidelines to appropriate patients during the patient-provider encounter); (2) matching of potential research subjects to research protocols for which they are potentially eligible; (3) detection of and prevention of potential adverse drug effects; (4) linking online information resources; (5) increased reliability and validity of data for quality evaluation; and (6) data mining for purposes such as clinical research, health services research, or knowledge discovery.

The developers of nursing and healthcare terminologies and informatics scientists have made significant progress. From decades of nursing language research, there exists an extensive set of terms describing patient problems, nursing interventions and activities, and nursing-sensitive patient outcomes (AORN, 2007; ICN, 2009; Moorhead, et al., 2004; Martin, 2005; Dochterman & Bulechek, 2004; North American Nursing Diagnosis Association, 2008; Ozbolt, 1998; Saba, 2006). Through the efforts of nursing professionals, new terms have been integrated into large health-care terminologies as demonstrated by nursing informatics research, which are useful for representing nursingrelevant concepts (Bakken, Cimino, Haskell, Kukafka, Matsumoto, Chan & Huff, 2000; Bakken, Warren, Lundberg, Casey, Correia, Konicek & Zingo, 2002; Henry et al., 1994; Lange, 1996; Matney, Bakken & Huff, 2003). Ontology languages supported by suites of software tools have been developed within the context of terminologies with broad coverage of the healthcare domain (Campbell et al., 1998). Applicability of these tools to the nursing domain has been demonstrated (Hardiker & Rector, 1998; Zingo, 1997). A major remaining challenge is the development of content. However, there is significant progress in that area as well; existing standardized nursing terminologies have shown themselves to be an excellent source.

A number of efforts within nursing (e.g., ICNP) and the larger healthcare arena (e.g., SNOMED CT) are aimed toward the achievement of advanced terminology systems that support semantic interoperability across healthcare information systems. In addition, other research has focused on examining how terminology models and advanced terminology systems relate to other types of models that support semantic interoperability, such as a domain model for nursing, the Health Level 7 Reference

Information Model (RIM) (Goossen, Ozbolt, Coenen, Park, Mead, Ehnfors & Marin, 2004), openEHR Archetypes (Beale, 2003), Detailed Clinical Models (Goossen, 2008), and an ontology for document naming (Hyun, Shapiro, Melton, Schlegel, Stetson, Johnson & Bakken, 2009). Such interoperability is a prerequisite to meeting the information demands of today's complex healthcare and health management environment.

References

Association of Operating Room Nurses (2007). *PNDS - Perioperative Nursing Data Set* [2nd Edition REVISED]. Denver, CO: AORN Inc.

Bakken, S., Cashen, M., and O'Brien, A. (1999). Evaluation of a type definition for representing nursing activities within a concept-based terminologic system. In N. Lorenzi (Ed.), *1999 American Medical Informatics Association Fall Symposium* (pp. 17–21).
Philadelphia, PA: Hanley & Belfus Inc.

Bakken, S., Cimino, J. J., Haskell, R., Kukafka, R., Matsumoto, C., Chan, G. K., and Huff, S. M. (2000). Evaluation of the clinical LOINC (Logical Observation Identifiers, Names, and Codes) semantic structure as a terminology model for standardized assessment measures. *Journal of the American Medical Informatics Association* 7(6):529–538.

Bakken, S., Warren, J. J., Lundberg, C., Casey, A., Correia, C., Konicek, D., and Zingo,C. (2002). An evaluation of the usefulness of two terminology models for integrating

nursing diagnosis concepts into SNOMED clinical terms. *International Journal of Medical Informatics* 68(1–3):71–77.

Beale, T. (2003). Archetypes and the EHR. *Stud Health Technol Inform*, 2003. 96: 238-244.

Campbell, J., Carpenter, P., Sneiderman, C., Cohn, S., Chute, C., and Warren, J. (1997). Phase II evaluation of clinical coding schemes: Completeness, taxonomy, mapping, definitions, and clarity. *Journal of the American Medical Informatics Association* 4(3):238–251.

Campbell, K., Cohn, S., Chute, C., Shortliffe, E., and Rennels, G. (1998). Scalable methodologies for distributed development of logic-based convergent medical terminology. *Methods of Information in Medicine* 37(4–5):426–439.

Chute, C., Cohn, S., and Campbell, J. (1998). A framework for comprehensive terminology systems in the United States: Development guidelines, criteria for selection, and public policy implications. ANSI Healthcare Informatics Standards Board Vocabulary Working Group and the Computer-based Patient Records Institute Working Group on Codes and Structures. *Journal of the American Medical Informatics Association* 5(6):503–510.

Chute, C. G., Cohn, S. P., Campbell, K. E., Oliver, D. E., and Campbell, J. R. (1996). The content coverage of clinical classifications. *Journal of the American Medical Informatics Association* 3(3):224–233.

Cimino, J.J., Clayton, P.D., Hripcsak, G., and Johnson, S.B. (1994). Knowledge-based approaches to the maintenance of a large controlled medical terminology. *Journal of the American Medical Informatics Association* 1(1):35-50.

Cimino, J. (1998a). The concepts of language and the language of concepts. *Methods of Information in Medicine* 37(4–5):311.

Cimino, J. (1998b). Desiderata for controlled medical vocabularies in the twenty-first century. *Methods of Information in Medicine* 37(4–5):394–403.

Cimino, J., Hripcsak, G., Johnson, S., and Clayton, P. (1989). Designing an introspective, multi-purpose, controlled medical vocabulary. In L. C. Kingsland, III (Ed.), *Symposium on Computer Applications in Medical Care* (pp. 513–518). Washington, DC: IEEE Computer Society Press.

Coenen, A. (2003). Building a unified nursing language: The ICNP. *International Nursing Review* 50(2):65–66.

Dochterman, J. and Bulechek, G. M. (2004). *Nursing Interventions Classification* (4th Edition). St. Louis, MO: C. V. Mosby.

European Committee for Standardization. (2000). *CEN ENV Health Informatics— Systems of Concepts to Support Nursing*. Brussels: CEN.

Goossen, W., Ozbolt, J., Coenen, A., Park, H., Mead, C., Ehnfors, M., and Marin, H. (2004). Development of a provisional domain model for the nursing process for use

within the Health Level 7 reference information model. *Journal of the American Medical Informatics Association* 11(3):186–194.

Goossen, W.T.F. (2008). Using Detailed Clinical Models to Bridge the Gap Between Clinicians and HIT. In E. de Clercq et al. (Eds.), *Collaborative Patient Centred eHealth*.. IOS Press: Brussels. 3-10.

Hardiker, N. (2004). An international standard for nursing terminologies. In J. Bryant (Ed.), *Current Perspectives in Healthcare Computing* (pp. 212–219). Swindon, U.K.: Health Informatics Committee of the British Computer Society.

Hardiker, N.R. and Coenen, A. (2007). Interpretation of an international terminology standard in the development of a logic-based compositional terminology. *International Journal of Medical Informatics*. 76S2: S274-S280.

Hardiker, N., Hoy, D., and Casey, A. (2000). Standards for nursing terminology. *Journal* of the American Medical Informatics Association 7(6):523–528.

Hardiker, N. and Rector, A. (1998). Modeling nursing terminology using the GRAIL representation language. *Journal of the American Medical Informatics Association* 5(1):120–128.

Henry, S. B., Holzemer, W. L., Reilly, C. A., and Campbell, K. E. (1994). Terms used by nurses to describe patient problems: Can SNOMED III represent nursing concepts in the patient record? *Journal of the American Medical Informatics Association* 1(1):61–74.

Henry, S. B. and Mead, C. N. (1997). Nursing classification systems: Necessary but not sufficient for representing "what nurses do" for inclusion in computer-based patient record systems. *Journal of the American Medical Informatics Association* 4(3):222–232.

Henry, S. B., Warren, J. J., Lange, L., and Button, P. (1998). A review of major nursing vocabularies and the extent to which they have the characteristics required for implementation in computer-based systems. *Journal of the American Medical Informatics Association* 5(4):321–328.

Hwang, J. I., Cimino, J. J., and Bakken, S. (2003). Integrating nursing diagnostic concepts into the medical entities dictionary using the ISO Reference Terminology Model for Nursing Diagnosis. *Journal of the American Medical Informatics Association* 10(4):382–388.

Hyun, S., Shapiro, J. S., Melton, G., Schlegel, C., Stetson, P. D., Johnson, S. B. and Bakken, S. (2009) Iterative evaluation of the Health Level 7--Logical Observation Identifiers Names and Codes Clinical Document Ontology for representing clinical document names: a case report. *Journal of the American Medical Informatics Association*, 16:395-399.

Ingenerf, J. (1995). Taxonomic vocabularies in medicine: The intention of usage determines different established structures. In R. A. Greenes, H. E. Peterson, and D. J. Protti (Eds.), *MedInfo* 95 (pp. 136–139). Vancouver, BC: HealthCare Computing and Communications, Canada.

International Council of Nurses. (2001). *International Classification for Nursing Practice (beta 2 version)*. Geneva, Switzerland: International Council of Nurses.

International Council of Nurses (2009). *International Classification for Nursing Practice Version 2*. [online]. International Council of Nurses. [Cited 27 July 2010]. Available at: www.icn.ch/pillarsprograms/international-classification-for-nursing-practicer/

International Organization for Standardization. (1990). International Standard ISO 1087-

1:2000 Terminology—Vocabulary—Part 1: Theory and Application. Geneva,

Switzerland: International Organization for Standardization.

International Organization for Standardization. (2003). International Standard ISO 18104:2003 Health Informatics—Integration of a Reference Terminology Model for

Nursing. Geneva, Switzerland: International Organization for Standardization.

Johnson, M., Bulechek, G., Butcher, H., Dochterman, J. M., Maas, M., Moorhead, S., and Swanson, E. (2006). *NANDA, NOC, and NIC Linkages: Nursing Diagnoses, Outcomes,* & Interventions. St. Louis, MO: Mosby.

Lange, L. (1996). Representation of everyday clinical nursing language in UMLS and SNOMED. In: J. Cimino (Ed.), *1996 American Medical Informatics Association Fall Symposium* (pp. 140–144). Washington, DC: Hanley and Belfus.

Martin, K. S. (2005). *The Omaha System: A key to practice, documentation, and information management.* St. Louis: Elsevier.

Matney, S., Bakken, S., and Huff, S. M. (2003). Representing nursing assessments in clinical information systems using the logical observation identifiers, names, and codes database. *Journal of Biomedical Informatics* 36(4–5):287–293.

McGuiness, D.L. and van Harmelen. F. (eds.) (2004). *OWL Web Ontology Language Overview* [online]. World Wide Web Consortium. [cited 27 July 2010]. Available at: www.w3.org/TR/owl-features/.

Moorhead S., M. Johnson M. and Maas M. (Eds.) (2004). *Nursing Outcomes Classification (NOC)*[3rd Edition]. St. Louis, MO: C. V. Mosby.

Moss, J., Coenen, A., and Mills, M. (2003). Evaluation of the draft international standard for a reference terminology model for nursing actions. *Journal of Biomedical Informatics* 36(4–5):271–278.

North American Nursing Diagnosis Association. (2008). *NANDA Nursing Diagnoses* 2009–20011: *Definitions and Classification 2009-2011*. Philadelphia, PA: North American Nursing Diagnosis Association.

Ogden, C. and Richards, I. (1923). *The Meaning of Meaning*. New York: Harcourt, Brace, and World.

Ozbolt, J. G. (1998). *Ozbolt's Patient Care Data Set, Version 4.0*. Nashville, TN: Vanderbilt University.

Protégé (2010). *What is Protégé-OWL?* [online]. Protégé. [cited 27 July 2010]. Available at: protege.stanford.edu/overview/protege-owl.html

Rector, A.L. (2004). Defaults, context, and knowledge: Alternatives for OWL-indexed knowledge bases. *Pacific Symposium on Biocomputing* (pp. 226–237).

Rector, A. L., Bechhofer, S., Goble, C. A., Horrocks, I., Nowlan, W. A., and Solomon,W. D. (1997). The GRAIL concept modelling language for medical terminology.*Artificial Intelligence in Medicine* 9:139–171.

Rossi Mori, A., Consorti, F., and Galeazzi, E. (1998). Standards to support development of terminological systems for healthcare telematics. *Methods of Information in Medicine* 37(4–5):551–563.

Saba, V. (2006). *Clinical Care Classification System* [online]. Sabacare. [cited 27 July 2010]. Available at: <u>www.sabacare.com</u>.

Saba, V. K. . (2007). *Clinical Care Classification (CCC) System Manual: a Guide to Nursing Documentation*. New York: Springer Publishing.

Sowa, J. (1984). Conceptual Structures. Reading, MA: Addison-Wesley.

Spackman, K. A., Campbell, K. E., and Cote, R. A. (1997). SNOMED RT: A reference terminology for health care. In D. Masys (Ed.), *1997 American Medical Informatics Association Annual Fall Symposium* (pp. 640–644). Nashville, TN: Hanley and Belfus.

Tsarkov, D. (2009). *factplusplus*. [online]. Google code. [cited 27 July 2010]. Available at: code.google.com/p/factplusplus/

Tuttle, M., Keck, K. D., Cole, W. G., Erlbaum, M. S., Sherertz, D. D., Chute, C. G.,

Elkin, P. L., Atkin, G. E., Kahoi, B. H., Safran, C., Rind, D., and Law, V. (1998).

Metaphrase: An aid to the clinical conceptualization and formalization of patient problems in healthcare enterprises. *Methods of Information in Medicine* 37(4–5):373–383.

Wang, A., Sable, J. H., and Spackman, K. (2002). The SNOMED clinical terms development process: Refinement and analysis of content. In I. Kohane (Ed.), *2002 American Medical Informatics Association Fall Symposium* (pp. 845–849).

Werley, H. H. and Lang, N. M. (Eds.) (1988). *Identification of the Nursing Minimum Data Set*. New York: Springer.

Zingo, C. A. (1997). Strategies and tools for creating a common nursing terminology within a large health maintenance organization. In U. Gerdin, M. Tallberg and P. Wainwright. (Eds.), *NI97* (pp. 27–31). Stockholm, Sweden: IOS Press.

List of tables and figures

Table 17.1 Evaluation Criteria Related to Concept-Oriented Approaches

Table 17.2 Possible Representations of the Nursing Activity Concept "Bladder

Irrigation", Using Generic Description Logic Representation and Modified KRSS

Figure 17.1

The semiotic triangle depicts the relationships among objects in the perceivable or conceivable world (referent), thoughts about things in the world, and the labels (symbols or terms) used to represent thoughts about things in the world.

Figure 17.2

A simple graphical example of a formal representation of the nursing activity concept "Bladder Irrigation."

Figure 17.3

Reference terminology model for nursing diagnoses.

(The terms and definitions taken from ISO 18104:2003 Health Informatics—Integration of a reference terminology for nursing, figures 1 and 2 [corresponding to Figs. 17.3 and 17.4 in this text] are reproduced with the permission of the International Organization for Standardization, ISO. The standard can be obtained from any ISO member and from the Web site of the ISO Central Secretariat at the following address: *www.iso.org.* Copyright remains with ISO.)

Figure 17.4

Reference terminology model for nursing actions.

(The terms and definitions taken from ISO 18104:2003 Health Informatics—Integration of a reference terminology for nursing, figures 1 and 2 [corresponding to Figs. 17.3 and 17.4 in this text] are reproduced with the permission of the International Organization for Standardization, ISO. The standard can be obtained from any ISO member and from the Web site of the ISO Central Secretariat at the following address: *www.iso.org*. Copyright remains with ISO.)

Figure 17.5

An illustration of a potential mapping using an advanced terminology system between nursing activity concepts from two existing terminology systems.