

1
2 Photocatalytic antimicrobial activity of thin surface films of TiO₂, CuO and TiO₂/CuO dual
3
4 layers on *Escherichia coli* and bacteriophage T4
5
6
7

8
9 Iram B. Ditta¹, Alex Steele¹, Christopher Liptrott¹, Julie Tobin¹, Helen Tyler¹, Heather M.
10
11 Yates², David W. Sheel² and Howard A. Foster¹
12
13
14
15
16
17

18
19 ¹Biomedical Sciences Research Institute, University of Salford, Salford, M5 4WT, UK.,
20

21 ²Institute for Materials Research, University of Salford, Salford, M5 4WT, UK.
22
23
24
25

26 Correspondence to:

27
28 Dr Howard A. Foster,

29
30 Biomedical Sciences Research Institute,

31
32 University of Salford,

33
34 Salford,

35
36 M5 4WT,

37
38 UK.
39

40
41
42 Tel: + 44 161 295 3832

43
44 Fax: + 44 161 295 5015

45
46 Email: h.a.foster@salford.ac.uk
47
48
49
50

51
52 Running title: Antimicrobial activity of TiO₂ coated surfaces
53
54
55

56
57 Key words: Antimicrobial, Bacteriophage T4, CVD, *Escherichia coli*, Photocatalysis,
58
59 surfaces, TiO₂
60

Abstract

TiO₂ coated surfaces are increasingly studied for their ability to inactivate microorganisms. The activity of glass coated with thin films of TiO₂, CuO and hybrid CuO/TiO₂ prepared by atmospheric Chemical Vapour Deposition (Ap-CVD) and TiO₂ prepared by a sol-gel process was investigated using the inactivation of bacteriophage T4 as a model for inactivation of viruses. The chemical oxidising activity was also determined by measuring stearic acid oxidation. The results showed that the rate of inactivation of bacteriophage T4 increased with increasing chemical oxidising activity with the maximum rate obtained on highly active sol-gel preparations. However these were delicate and easily damaged unlike the Ap-CVD coatings. Inactivation rates were highest on CuO and CuO/TiO₂ which had the lowest chemical oxidising activities. The inactivation of T4 was higher than that of *Escherichia coli* on low activity surfaces. The combination of photocatalysis and toxicity of copper acted synergistically to inactivate bacteriophage T4 and retained some self-cleaning activity. The presence of phosphate ions slowed inactivation but NaCl had no effect. The results show that TiO₂/CuO coated surfaces are highly antiviral and may have applications in the food and healthcare industries.

INTRODUCTION

The photocatalytic properties of TiO_2 were first reported by Fujishima and Honda (1972) and have subsequently been the subject of much research, especially for the photochemical oxidation of pollutants. The photochemistry has been reviewed by Mills and Le Hunte (1997) and Hashimoto *et al.* (2005). The irradiation of TiO_2 with ultra-violet light promotes electrons from the valence band to the conduction band leaving a positively charged hole. The electrons and holes migrate and, at the surface, react to give reactive oxygen species such as $\cdot\text{OH}$ and O_2^- . These in solution can react to give H_2O_2 . The use of UVA activated TiO_2 for disinfection was first proposed by Matsunaga and co-workers (Matsunaga *et al.*, 1985). There have since been reports of the use of photocatalysis for the destruction of bacteria, fungi and algae. Most of the early work used suspensions of TiO_2 and planktonic organisms (Reviewed by Blake *et al.*, 1999). There have been relatively few reports on the antiviral activity of TiO_2 coated surfaces. The photocatalytic killing of *Escherichia coli* bacteriophage ms2 was demonstrated by Sjogren and Sierka, 1994. They were able to reduce the pfu count of a suspension of ms2 phage by a factor of 10 with TiO_2 and 10^3 with TiO_2 in the presence of $\text{Fe}_3(\text{SO}_4)_2$ with a 10 min irradiation at 2 mW m^2 in a continuously stirred batch reactor. The increased activity in the presence of $\text{Fe}_3(\text{SO}_4)_2$ was reported to be due to increased production of free radicals *via* the Fenton reaction. Phage ms2 was killed more slowly in suspension than *E. coli* (Cho, 2005). Poliovirus 1 was inactivated by a suspension of TiO_2 in treated wastewater and a 2 log inactivation occurred in 30 min starting with 3000 pfu ml^{-1} although the intensity of UV was not quoted (Watts *et al.*, 1995). The inactivation of *Lactobacillus* phage PL1 was reported by Kakita *et al.*, 1997 using a ceramic preparation coated with a mixture of oxides including TiO_2 and AgO. The photocatalytic inactivation of coliphage Q β in a flow through reactor over immobilised TiO_2 (3 log reduction after 3 h) was slower than with suspended

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

TiO₂ (4 log reduction after 30 min) and broth introduced with the phage was shown to have an inhibitory effect (Lee *et al.*, 1997, Otaki *et al.*, 2000). Belhacova *et al.* (1999) used a similar system to study the inactivation of coliphage λ and a 4 log reduction was seen in 3 h but the phage was also sensitive to the UV used with a 4 log reduction after 4 h. A 6 log inactivation of phage ms2 and a 4 log reduction in an unspecified *Bacteroides fragilis* phage was seen in 60 min with an irradiation intensity of 5 mW m⁻² in suspension (Armon *et al.*, 1998). Intermittent irradiation gave a faster rate of inactivation than continuous irradiation (Laot *et al.*, 1999). Although the latter authors used immobilised TiO₂, the inactivation experiments were studied in suspension.

More recently, research has examined the biocidal activity of thin films of titania anchored to solid surfaces (Kikuchi *et al.*, 1997, Sunada *et al.*, 1998, Kuhn *et al.*, 2003, Yu *et al.*, 2003) with a view to producing self-disinfecting surfaces. Viruses can be transmitted from hands to inanimate surfaces and *vice versa* (Ansari *et al.*, 1988, 1991) and contaminated surfaces are implicated in the transmission of e.g. noroviruses (Widdowson *et al.*, 2005). Thus the ability to eliminate viruses on photocatalytic self-cleaning /self sterilising surfaces may provide a useful additional mechanism of control of transmission of viral diseases along with conventional disinfection methods. A 2.2 log reduction in a suspension of *E. coli* phage Qβ was obtained after 1 h irradiation with near UV black light at an intensity of 3.6x10⁻³ W/cm² on TiO₂ immobilized on ceramic tiles (Lee *et al.*, 1997). Kakita *et al.* (2000) showed killing of *Lactobacillus* phage PL1 by thin films of TiO₂ suspended in liquid and the mechanism of killing was reported to be via initial damage to protein of the capsid by ·OH, followed by damage to the phage DNA inside the particles (Kashiga *et al.*, 2001).

Copper is well characterised for its antiviral activity (Sagripanti., 1992, Sagripanti *et al.* 1993, Sagripanti and Lightfoote, 1996, Sagripanti *et al.* 1997). In this report we demonstrate the antiviral activity in thin films on glass surfaces coated with TiO₂, CuO and TiO₂/CuO using bacteriophage T4 as a model and describe the relative killing efficiencies

of different TiO₂ coated surfaces compared to killing of *E. coli* on TiO₂. The photocatalytic activity of the various films to 'self-clean' were also assessed using stearic acid as a model pollutant.

MATERIALS AND METHODS

Microorganisms and culture conditions

Escherichia coli B NCIMB 9482, *E. coli* ATCC 10536 and bacteriophage T4 were obtained from the National Collection of Industrial and Marine Bacteria, Aberdeen UK. *E. coli* strains were sub-cultured onto Nutrient Agar (Oxoid, Basingstoke, UK) and incubated at 37° C for 24h. Cultures were resuspended in Nutrient Broth (Oxoid) and kept on Microban® beads (TCS Ltd Merseyside, UK) at -70°C. Prior to use, one bead was sub-cultured onto Nutrient Agar and incubated at 37° C for 24h. Broth cultures (100 ml Nutrient Broth in 250 ml Erlenmeyer flasks) were inoculated and incubated at 200 rpm and 37°C for 16 h in a New Brunswick G24 orbital incubator (New Brunswick Scientific, St Albans, UK).

Stock bacteriophage suspension was produced by addition of bacteriophage T4 to a 24 h culture of *E. coli* B (NCIMB 9482) and incubation at 37°C for a further 24 h. Remaining cells and cell debris were removed by centrifugation at 5000 x g for 10 min. Bacteriophage were centrifuged by centrifugation for 30 min at 20,000 x g in a Sorvall RC6 centrifuge.

The pellet was washed 3x by centrifugation and resuspension, plaque count determined and diluted appropriately and stored at -20°C.

Plaque assay

Phage was assayed by the double agar layer method (Gratia, 1936). Phage suspension (0.1 ml) was mixed with 0.2 ml overnight *E. coli* culture in nutrient broth (approx 2 x 10⁸ cfu

1
2 ml⁻¹) and 5 ml molten soft agar (Nutrient broth + 6g l⁻¹ agar; Oxoid, UK) and poured on to
3
4 surface of a nutrient agar plate. When set the plates were incubated at 37°C for 24 h and
5
6
7 plaques counted.
8
9

10 11 **TiO₂ coated glass**

12
13 Samples of two commercially available CVD coated glasses were obtained from two
14
15 different manufacturers. Both samples had a 15 nm thick TiO₂ layer and were cut into 20
16
17 mm squares. Preparation of CuO and CuO -TiO₂ dual layer coated glass was via
18
19 atmospheric pressure chemical vapour deposition (Ap-CVD) as previously described
20
21 (Yates *et al.*, 2007). Sample cleaning was performed either by ultra-sonication for 40 min
22
23 in 40 ml of 100% methanol in an ultrasonic bath (Beckton-Dickinson, NJ, USA) or by gently
24
25 shaking in methanol. Samples were removed aseptically and placed in UVA transparent
26
27 disposable plastic Petri dishes (Sterilin), film side uppermost. The coated samples were
28
29 then pre-irradiated by placing them under a 40 W UVA bulb with a 2.24x10⁻³ W cm² output
30
31 for 24 h. For some control experiments samples of the TiO₂ coated glass were inactivated
32
33 by autoclaving at 121°C for 30 min, otherwise float glass was used as a control.
34
35
36 Samples of glass coated with a 400 nm layer of Degussa P-25 TiO₂ by a sol-gel process
37
38 (Mills *et al.*, 2003) were obtained from Professor Andrew Mills, Strathclyde University, UK.
39
40
41
42
43
44
45

46 47 **UVA inactivation**

48 49 **Inactivation of bacteriophage**

50
51 Bacteriophage suspension was diluted to give approximately 2 x 10⁸ pfu ml⁻¹. Fifty µl was
52
53 added to the test samples and spread out using the edge of a flame sterilized microscope
54
55 cover slip. Two ml sterile distilled water was added to the dishes to prevent desiccation.
56
57
58 Four samples were exposed to UVA using UVA lamps at 2.24x10⁻³ W cm⁻². A sample was
59
60 removed immediately and remaining samples removed at intervals. Four samples exposed

1
2 to UVA but covered with a polylaminar UVA protection film (Anglia Window Films, UK) to
3
4 block UVA but not infra-red, acted as controls.

5
6 The samples were then immersed in 20 ml of sterile de-ionised water and vortexed for 60
7
8 sec to resuspend the bacteriophage. A viability count was performed by serial dilution and
9
10 plaque assay.
11
12

13 14 15 16 **Inactivation of bacteria**

17
18 A frozen bead of *Escherichia coli* ATCC 10536 was thawed and subcultured onto nutrient
19
20 agar (Oxoid) and incubated at 37°C for 24 h and stored at 5°C. A 50 µl loopful was
21
22 inoculated in to 20ml Iso-sensitest broth (Oxoid) and incubated for 24 h at 37° C. Cultures
23
24 were centrifuged at 5000 x g for 10 min in a bench centrifuge and the cells were washed in
25
26 de-ionised water three times by centrifugation and re-suspension. Cultures were re-
27
28 suspended in water and adjusted to OD 0.5 at 600 nm in a spectrophotometer (Camspec,
29
30 M330, Cambridge, UK) to give approx. 2×10^8 colony forming units (cfu) ml⁻¹. Fifty µl were
31
32 inoculated on to each test sample and spread out and irradiated and resuspended as
33
34 before. A viability count was performed by serial dilution and plating onto nutrient agar in
35
36 triplicate and incubation at 37°C for 48 h.
37
38
39
40
41
42
43
44

45 46 47 **Photocatalytic oxidation of stearic acid**

48
49 Stearic acid provides a good model for typical organic surface contamination and as such
50
51 was used to monitor the extent of photocatalytic activity in the various films. The
52
53 degradation of stearic acid was followed by FTIR (Bruker, Vector 22: Yates et al., 2006).
54
55 Stearic acid (100 µl of 10 mmol l⁻¹ in methanol) was spun coated onto the sample. After
56
57 drying in an oven the sample was exposed to UVA (365 nm) with an intensity of 3×10^{-3} W
58
59 cm⁻². The activity of the film was measured by the rate of reduction in selected stearic acid
60
peaks in the IR region (3000 – 2800 cm⁻¹) in cm⁻¹ min⁻¹.

Reproducibility

Each experiment was performed in triplicate and mean, standard deviations and T-tests performed using Microsoft Excel.

RESULTS

The sol-gel sample had the highest photocatalytic activity on stearic acid ($0.3875 \text{ cm}^{-1}\text{min}^{-1}$), followed by commercial sample 2 ($0.0185 \text{ cm}^{-1}\text{min}^{-1}$). Commercial sample 1 had the lowest activity of the plain TiO_2 samples ($0.0101 \text{ cm}^{-1}\text{min}^{-1}$). The CuO-TiO_2 dual layer and CuO samples both had similar and relatively low activities (0.0015 and $0.0017 \text{ cm}^{-1}\text{min}^{-1}$ respectively).

In order to show the effects of UVA irradiation alone on the microbial coated samples, heat generated from the lamps, infra-red irradiation from the lamps, desiccation or of suspension of in deionised water during the timescale of the experiments on bacteriophage T4, inactivated TiO_2 coated glass was used as a control. The effects of UVA irradiation on phage viability are shown in Figure 1a. There was a one log reduction after 4 h which was a greater reduction than in the controls (with UVA blocked) which showed that there was some killing effect of the UVA alone. However, UVA did not completely kill the phage within the time of the experiments.

The inactivation of bacteriophage T4 on commercial sample 1 is also shown in Figure 1a. There was a 2.5 log reduction after 4 h in the UVA irradiated samples whereas there was only a slight reduction in viability on the controls (less than 1 log). The experiments were relatively reproducible and this reduction was statistically significant when compared to the controls ($p < 0.05$). The rate of killing on commercial glass 2 was higher and a >6 log reduction was obtained after 3 h (Figure 1a). Again this was significantly different from the controls ($P < 0.05$).

1
2 However, when sol-gel coated P25 glass was used, the results were less reproducible and
3
4 lower rate of killing was obtained in some experiments with a 6 log killing observed in 2-4 h
5
6 on different samples (Figure 1b). Data for separate runs are given to show the variation
7
8 between samples. Casual observation of the slides after the experiment showed some
9
10 signs of damage to the coatings. The slides were examined by SEM there was clear
11
12 evidence of damage to the surfaces with pits and grooves, some 10-100 μm wide, through
13
14 the TiO_2 layer. The commercial samples had thinner layers of TiO_2 (15 nm) and showed no
15
16 apparent damage during the assay process (not shown). The commercial samples were
17
18 produced by CVD, which leads to hard, well adhered coatings. Sol-gel films by the nature
19
20 of the method of manufacture generally tend to be more fragile and optically opaque (Mills
21
22 2003). Testing of samples cleaned by shaking rather than ultrasonication showed less
23
24 damage and reproducible reductions in phage titre of $>10^5$ in 2 h (data not shown).
25
26 The killing of *E.coli* on TiO_2 followed a similar pattern to T4. There was a slight reduction
27
28 on plain glass which was not significantly different from deactivated TiO_2 coated glass
29
30 (Figure 1c). On commercial sample 1 there was only a slight and not significant difference
31
32 between test and controls even after 4 h ($P>0.05$; Figure 1c) whereas a >5 log reduction
33
34 was seen on sample 2 after 3 h ($P<0.05$; Figure 1c). The sol-gel samples were not tested
35
36 with *E. coli* because of the damage to the coating.
37
38
39
40
41
42
43

44 The effects of resuspension medium on killing are shown in Figure 2. There was no
45
46 decrease in the controls when water was used to resuspend the phage but there was a 1.5
47
48 log reduction in the controls with both saline and PBS ($p<0.05$). The test run with saline
49
50 gave a >5 log reduction after 4h and with water and saline there were small numbers of
51
52 survivors giving a >4 log reduction, significantly different from the controls ($p<0.05$).
53
54
55

56 Inactivation on CVD CuO coated samples was more rapid with a >6 log reduction after 80
57
58 min with similar rates for both water and saline. The starting plaque count was 100-fold
59
60 higher in these experiments. Killing with PBS was slower but there was no significant

1
2 difference after 80 min ($P>0.05$; Figure 3a). On TiO_2 over CuO the rate of killing was
3
4 higher with both water and saline giving a >9 log kill after 80 min (Figure 3b). The rate of
5
6 killing was significantly slower with PBS and there was only a 7 log reduction after 80 min
7
8 ($P<0.05$). There was a 2 log reduction in the controls but there were no significant
9
10 differences after 80 min ($P>0.05$).
11
12
13
14
15

16 Discussion

17
18 The sol-gel TiO_2 samples had the highest photocatalytic activity. This is probably related to
19
20 the thickness of the coating which gives a greater UV absorption and hence increased
21
22 activity (Jung, 2005) and to the increased surface area due to increased surface
23
24 roughness, allowing more efficient exposure of the stearic acid on the TiO_2 surface. The
25
26 sol-gel film had a much rougher surface ($R_a=25$ nm) and hence surface area than that of
27
28 either of the commercial samples ($R_a=2.6$ nm and $R_a=2.9$ nm for commercial samples 1
29
30 and 2 respectively (measured using a Dektak 3ST surface profiler). As the commercial
31
32 samples were of similar thickness and roughness, differences in activity are probably
33
34 related to the inherent nature of the films. These differences could relate to low levels of
35
36 dopants such as Na which are known to de-activate TiO_2 (Aubry *et al.*, 2007). CuO and
37
38 TiO_2 -CuO had 10-fold lower activity than those for TiO_2 . Previous analysis established
39
40 that, although the dual sample was deposited firstly with CuO and then TiO_2 , the final
41
42 result was of a surface of mainly Cu_2O and CuO on the surface with only a small amount
43
44 of TiO_2 (Yates *et al.* unpublished data).
45
46
47
48
49
50

51
52 The TiO_2 coated surfaces were capable of inactivating bacteriophage T4 in thin surface
53
54 films. Both commercially available CVD coated glasses showed killing of bacteriophage T4
55
56 and *E. coli* and sample 2 was able to achieve total killing after 3 h. These samples were
57
58 more robust than the sol-gel coated samples tested which, although having a much higher
59
60 chemical oxidising activity, had unreproducible killing times of 2-4 h. This was probably

1
2 due to damage to the coating during testing, the uneven surface resulting in uneven
3
4 spread of liquid might affect reproducibility if surface defects are spread across the surface
5
6 in an unreproducible and uncharacterised manner.
7

8
9 Previous work has suggested that the killing mechanisms of UV activated TiO_2 may be
10
11 different for bacteria and viruses, at least in suspension. Sogren and Sierka (1994)
12
13 showed that *E. coli* was killed more rapidly than ms2 and Cho *et al.*, (2005) showed that
14
15 free $\cdot\text{OH}$ in suspension were more active at killing ms2 whereas surface bound radicals,
16
17 superoxide and H_2O_2 were implicated in killing of *E. coli* as well as free $\cdot\text{OH}$. Inactivation
18
19 of *Lactobacillus* phage PL-1 occurred via initial damage to coat proteins followed by attack
20
21 on the DNA (Kashiga *et al.*, 2001). Inactivation of bacteria is probably due to membrane
22
23 damage via lipid peroxidation (Kiwi and Nadochenko, 2005). In the present study, the
24
25 rates of killing of bacteriophage T4 and *E. coli* were similar on sample 2 but T4 was more
26
27 sensitive than *E. coli* on sample 1. This may have been because the killing mechanisms
28
29 were different. Studies on phage inactivation in suspension suggest that most phage
30
31 particles are killed when bound to TiO_2 particles. (Koizumi and Tyer, 2002). For the
32
33 inactivation of bacteria in suspension free radicals are probably only involved when
34
35 particles of TiO_2 are attached to the surface of the bacteria (Horie *et al.*, 1998a, b). H_2O_2
36
37 production may be required for killing of bacteria in suspension. On thin films, as in the
38
39 present experiments, most organisms will be in contact with the surface, especially at low
40
41 cell densities. The effects of use of different resuspension media showed that saline and
42
43 water had similar kill rates but that PBS slowed the rate of killing, particularly on surfaces
44
45 with TiO_2 and dual layers, possibly by inhibiting contact between the phage and the
46
47 surface. The inhibition of photocatalytic killing of bacteriophage ms2 in suspension by
48
49 phosphate has been attributed to inhibition of binding of phage to the TiO_2 particles by the
50
51 phosphate ions (Koizumi and Taya, 2002). Phosphate has also been shown to reduce the
52
53
54
55
56
57
58
59
60

1
2 rate of photocatalytic killing of bacteria in suspension (Arana *et al.*, 2002) by inhibiting
3
4 contact between the bacteria and TiO₂ particles (Gogoniat *et al.*, 2006).
5
6
7

8
9 Comparison of the photocatalytic decomposition rates for stearic acid with the microbial
10
11 killing rates showed no overall trend between chemically different samples. The CuO and
12
13 dual CuO-TiO₂, although of comparatively low photoactivity, showed faster microbial killing
14
15 rates than for the TiO₂ samples. Enhanced killing was probably due to a combination of
16
17 copper oxides giving toxic Cu⁺/Cu²⁺ in solution and photocatalysis. However, considering
18
19 just the three TiO₂ samples, it can be seen that the photocatalytic and biocidal activity
20
21 increase in the same sample order. Possibly the greater self-clean ability of the sol-gel
22
23 film (when not mechanically damaged) is clearing the dead cells off faster, which may
24
25 otherwise mask the surface and hence letting the more UV light reach the surface. Also,
26
27 this effect may be a small contributory part in reducing the cell killing time for the CuO-TiO₂
28
29 sample over that of the CuO.
30
31
32
33

34
35 The results suggest that the inactivation of coliphage T4 may be a more sensitive method
36
37 to detect photocatalytic killing than using bacteria as we were able to distinguish between
38
39 the two commercial samples more clearly. The assay was easy to use and gave
40
41 reproducible results. The use of bacteriophage is much safer than using pathogenic
42
43 viruses. As far as the authors are aware, this is the first description of the killing of viruses
44
45 on thin films of TiO₂ and shows that such surfaces can be self-disinfecting. The results
46
47 show that thin films of TiO₂ are antiviral and inclusion of copper increases the rate of
48
49 inactivation. The surfaces may have applications in infection control.
50
51
52
53

54 55 56 Acknowledgements

57
58 This work was supported by an EEC grant GRD1-2001-40791 "Advanced materials and
59
60 manufacturing technologies for photocatalytically active surfaces". We are grateful to Mr

1 Alan Robinson and Dr Mark Nolan for stearic acid oxidation data and to Professor Andrew
2 Mills, University of Strathclyde for providing the sol-gel coated samples and M. Faulkner
3
4
5
6
7 from University of Manchester Materials Science Centre for the scanning electron
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

References

- Aubry, E., Ghazzal, M. N., Demange, V., Chaoui, N., Robert, D., Billard, A., Poisoning prevention of TiO₂ photocatalyst coatings sputtered on soda-lime glass by intercalation of SiN_x diffusion barriers. *Surface & Coatings Technology* 201 (2007) 7706-7712.
- Ansari, S.A., Sattar, S. A., Springthorpe, S., Wells, G. A., Tostowaryk, W. Rotavirus survival on human hands and transfer to animate and non-porous inanimate surfaces. *Journal of Clinical Microbiology* 26: 1988; 1513-1518.
- Ansari, S.A., Springthorpe, S., Sattar, S. A., Rivard, S., Rahman, M. Potential role of hands in the spread of respiratory viral infections: studies with human parainfluenza virus 3 and rhinovirus 14. *Journal of Clinical Microbiology* 29: 1991:2115-2119
- Araña J., Herrera Melián J.A., Doña Rodríguez J.M., González Diaz O., Viera A., Pérez Peña J., Marrero Sosa P.M., Espino Jiménez V. TiO₂-photocatalysis as a tertiary treatment of naturally treated wastewater. *Catalysis Today* 76 (2002) 279–289.
- Armon R., Laot N., Narkis N. and Neeman I. Photocatalytic inactivation of different bacteria and bacteriophages in drinking water at different TiO₂ concentration with or without exposure to O₂. *Journal of Advanced Oxidation Technology*, 3, 1998, 145-150.
- Belhacova, L. Krysa, J Geryk, J and Jirkovsky J. Inactivation of microorganisms in a flow through photoreactor with an immobilised TiO₂ layer. *Journal of Chemical Technology and Biotechnology* 74 (1999) 149-154.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Blake D M, Maness P-C, Huang Z, Wolfrum E J, Jacoby W A, Huang J. Application of the photocatalytic chemistry of titanium dioxide to disinfection and the killing of cancer cells. *Sep Purif Meth.* 1999; **28**:1–50.

Cho, M., Chung, H Choi, W Yoon, J. Different inactivation behaviours of ms-2 phage and *Escherichia coli* in TiO₂ photocatalytic disinfection. *Applied and Environmental Microbiology*, 71: 2005, 270–275.

Fujishima, A. and Honda, K (1972). Electrochemical photolysis of water at a semiconductor electrode. *Nature* 238, 37 - 38 (07 July 1972); doi:10.1038/238037a0

Gogniat G., Thyssen M., Denis M., Pulgarin C., Dukan S. The bactericidal effect of TiO₂ photocatalysis involves adsorption onto catalyst and the loss of membrane integrity (2006) *FEMS Microbiology Letters*, 258 (1), pp. 18-24.

Gratia A. Des relations numeriques entre bacteries lysogenes et particules de bacteriophage. *Annales de l'Institut Pasteur* 57 (1936) 652-676.

Hashimoto K, Irie H, Fujishima A. TiO₂ Photocatalysis: A historical overview and future prospects. *Japanese Journal of Applied Physics*. 44, 2005, 8269-8285.

Horie, Y, Taya, M and Tone, S (1998a). Effect of cell adsorption on photosterilization of *Escherichia coli* over titanium-dioxide-activated charcoal granules. *J Chem Eng Japan* 31, 922-929.

Horie, Y, Taya, M and Tone, S (1998b) Evaluation of photocatalytic sterilisation rates of *Escherichia coli* in titanium dioxide slurry irradiated with various light sources. *J Chem Eng Japan* 31, 577-584.

Jung, S.-C, Kim, B.-J., Imaishi, N, Cho, Y.-I., Characterisation of a TiO₂ photocatalyst film deposited by CVD and its photocatalytic activity, *Chem.Vap. Deposition* 11 (2005) 137-141.

1
2 Kakita Y, Kashige N, Miake F, Watanabe K. Photocatalysis-dependent inactivation of
3
4 *Lactobacillus* phage PL-1 by a ceramics preparation. Bioscience Biotechnology and
5
6 Biochemistry 61: 1997;1947-1948.
7

8
9 Kakita Y, Obuchi, E, Nakano, K, Murata, K, Kuriowa, A, Miake F, Watanabe K.
10
11 Photocatalytic inactivation of *Lactobacillus* PL-1 phages by a thin film of titania. Biocontrol
12
13 Science, 5:2000;73-79.
14

15
16 Kashige N, Kakita Y, Nakashima Y, Miake F, Watanabe K. Mechanism of the
17
18 photocatalytic inactivation of *Lactobacillus casei* phage PL-1 by titania thin film. Curr
19
20 Microbiol. 2001;42:184-9.
21

22
23 Kikuchi, Y., Sunada, K., Iyoda, T., Hashimoto, K., Fujishima, A. Photocatalytic bactericidal
24
25 effect of TiO₂ thin films: dynamic view of the active oxygen species responsible for the
26
27 effect. J Photochem Photobiol A Chem 106 (1997) 51-56.
28

29
30 Kiwi, J and Nadochenko, V. Evidence for the mechanism of photocatalytic degradation of
31
32 the bacterial wall membrane at the TiO₂ interface by ATR-FTIR and laser kinetic
33
34 spectroscopy. Langmuir 2005;21:4631-4641.
35

36
37 Koizumi, Y and Taya, M (2002). Photocatalytic inactivation rate of phage ms2 in titanium
38
39 dioxide suspensions containing various ionic species. Biotechnology Letters 24; 459-462.
40

41
42 Kuhn K P., Chaberny I F, Massholder K, Stickler M, Benz V W, Sonntag H-G, Erdinger L.
43
44 Disinfection of surfaces by photocatalytic oxidation with titanium dioxide and UVA light
45
46 Chemosphere 53 (2003) 71–77.
47

48
49 Laot, N, Narkis, N, Neeman, I, Vilanovic, D., Armon, R. TiO₂ Photocatalytic Inactivation of
50
51 Selected microorganisms under various conditions: sunlight, intermittent and variable
52
53 irradiation intensity, CdS augmentation and entrapment of TiO₂ into sol gel. J. Adv.Oxid.
54
55 Technol. 4 (1999) 97.
56
57
58
59
60

- 1
2 Lee S., Nishida K., Otaki M. and Ohgaki S. Photocatalytic inactivation of phage Q β by
3 immobilized titanium dioxide mediated photocatalyst. *Water Science and Technology*
4 35;1997; 101–106.
5
6
7
8
9 Mills, A., Le Hunte S. An overview of semiconductor photocatalysis. *Journal of*
10 *Photochemistry and Photobiology A: Chemistry* 108 (1997) 1-35.
11
12 Mills A., Elliott N., Hill,G. Fallis, D. Durrant J R.. Willis, R. L. Preparation and
13 characterisation of novel thick sol–gel titania film photocatalysts *Photochem. Photobiol.*
14 *Sci.*, 2003, 2, 591–596.
15
16
17
18
19 Mills A, Hill G, Bhopal, S., Parkin I.P., O'Neill, S.A., Thick titanium dioxide films for
20 semiconductor photocatalysis, *Photochem. PhotobiolA.*, 160 (2003) 185–194.
21
22
23
24
25
26 Otaki, M Hirata, T and Oghaki, S. Aqueous microorganisms inactivation by photocatalytic
27 reaction. *Water Science and Technology* 42 (2000) 103-108.
28
29
30
31 Sagripanti, J.-L. 1992. Metal based formulations with high microbicidal activity. *Appl.*
32 *Environ. Microbiol.* 58:3157–3162.
33
34
35
36 Sagripanti, J.-L., L. B. Routson, and C. D. Lytle. 1993. Virus inactivation by copper or iron
37 ions alone and in the presence of peroxide. *Appl. Environ. Microbiol.* 59:4374–4376.
38
39
40
41 Sagripanti, J.-L., and M. M. Lightfoote. 1996. Cupric and ferric ions inactivate HIV. *AIDS*
42 *Res. Hum. Retroviruses* 12:333–336.
43
44
45
46 Sagripanti, J.-L., L. B. Routson, Bonifacino, A.C, and C. D. Lytle (1997) Mechanism of
47 Copper-Mediated Inactivation of Herpes Simplex Virus Antimicrob Agent Chemother, 41:
48 812–817
49
50
51
52 Sunada K, Watanabe T, Hashimoto K. Bactericidal activity of copper-deposited TiO₂ thin
53 film under weak UV light illumination. *Environ Sci Technol.* 2003 37:4785-9.
54
55
56
57
58
59
60
60 Watts, R J, Kong, S., Orr, M., Miller, G.C., Henry, B. E. Photocatalytic inactivation of
coliform bacteria and viruses in secondary wastewater effluent. *Water Research* 29:1995;
95-100.

1 Widdowson, M-A, Glass, R, Monroe, S, Beard, S, Bateman, JW, Lurie, P, Johnson, C.

2 Probable transmission of norovirus on an airplane. JAMA 15:2005; 1859-1860.

3
4
5
6
7 Yates, H.M. Nolan, M.G. Sheel, D.W. Pemble, M.E. J. Photochem. Photobiol.A, 179
8 (2006) 213.

9
10 Yu JC, Ho W, Lin J, Yip H, Wong PK. Photocatalytic activity, antibacterial effect, and
11 photoinduced hydrophilicity of TiO₂ films coated on a stainless steel substrate. Environ Sci
12 Technol. 2003; 37, 296-301.
13
14
15
16
17
18
19
20
21

22 Legends to Figures

23
24 **Figure 1 Photocatalytic inactivation of bacteriophage T4 and *Escherichia coli* on**
25 **TiO₂ coated glass**
26

27
28 Bacteriophage T4 suspension (50µl, 2 x 10⁷pfu ml⁻¹) was spread over the surface of
29 cleaned and pre-activated 2 x 2 cm TiO₂ coated glass squares in plastic Petri dishes and
30 irradiated (365nm, 2.24 x 10⁻³ W cm⁻²). Glass squares were removed after different times
31 and phage resuspended in water and viability determined by plaque assay after suitable
32 dilution. Controls were covered with a UVA absorbing plastic film. Inactivated coated glass
33 was also used as a control to study any loss of viability during the experiment.
34
35
36
37
38
39
40
41
42

43 (a) Commercially available glass ■ inactivated glass test, □ inactivated glass control, ●
44 commercial sample 1 test, ▽ commercial sample 1 control, ● commercial sample 2 test,
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

51 (b) Photocatalytic inactivation of bacteriophage T4 on sol-gel TiO₂ coated glass

52 ▽ control, ● run 1 ▲, run 2 ●, run 3 ○.

53 (c) *Escherichia coli* suspension (50µl, 2 x 10⁷cfu ml⁻¹) was spread over the surface of
54 cleaned and pre-activated 2 x 2 cm TiO₂ coated glass squares in plastic Petri dishes and
55 irradiated (365nm, 2.24 x 10⁻³ W cm⁻²). Glass squares were removed after different times
56 and resuspended in water and viability determined by plate count after suitable dilution.
57
58
59
60

1
2
3
4
5 **Figure 2 Effects of resuspension medium on photocatalytic inactivation of**
6 **bacteriophage T4 on commercial TiO₂ coated glass.**
7

8
9 Phage was resuspended in water, saline or PBS and inactivated on commercial sample 2.

10
11 ● water test, ○ water control, ▼ saline test, ▽ saline control, ■ PBS test, □ PBS control.
12

13
14 Other details as for figure 1.
15


16 **Figure 3 Effects of resuspension medium on inactivation of bacteriophage T4 on CVD**

17
18 CuO and hybrid CuO/TiO₂ coated glass.
19


20
21 (a) CuO, (b) CuO - TiO₂ hybrid
22


23
24 Other details as for figure 1.
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Review





review

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



review

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

